



The Studio, Condover Mews, Condover,
Shrewsbury SY5 7BG
Telephone: 01743 874111
Email: info@abcdentallaboratory.com



SURGEON		
PRACTICE		
PATIENT		
AGE	Male <input type="checkbox"/> Female <input type="checkbox"/>	
DATE RECEIVED	DELIVERY DATE	
PREMIER PLUS	PREMIER	NHS

ALL CASES WILL BE TREATED AS PREMIER UNLESS OTHERWISE INDICATED

ALLOY SELECTION (PLEASE TICK)			
BONDING ALLOYS	White PMA	33% <input type="checkbox"/>	45% <input type="checkbox"/>
	Yellow Gold:	73.5% <input type="checkbox"/>	86% <input type="checkbox"/>
	Non Precious:	<input type="checkbox"/>	
CASTING ALLOYS	White PMA	33% <input type="checkbox"/>	
	Pale Yellow PMA	34% <input type="checkbox"/>	
	Yellow Gold:	60% <input type="checkbox"/>	75% <input type="checkbox"/>
	Non Precious:	<input type="checkbox"/>	


ENCLOSURES – FOR OFFICE USE ONLY	
ALGINATE U/L	
RUBBER U/L	
BITE RECORD	
STUDY MODELS U/L	
PHOTO	
BITE FORK	
OTHER	

PROCEDURE	COMPLETED BY	CHECKED BY
MODELS		
DIE TRIM		
WAX-UP		
FINISHED METAL WORK		
OPAQUE APPLICATION		
PORCELAIN		
ACRYLIC		
COMPOSITE		
MOUTHGUARD		
OTHER		
PACKED BY		

CONTRACT
When signed for release, this device conforms to the relevant essential requirements set out in Annex 1 of the Medical Devices Directive (93/42) EEC). If there are any essential requirements not met these will be stated. This statement does not apply to repairs etc. of a pre-manufactured appliance. The laboratory will manufacture the appliance as per the prescription, it is the prescribers responsibility to ensure that the prescription is completed correctly and complies to dental regulations.

Approved for manufacture by:
Released by:

JOB NUMBER	SHADE
------------	-------



TOOTH NOTATION (PLEASE CIRCLE)

8	7	6	5	4	3	2	1	1	2	3	4	5	6	7	8
8	7	6	5	4	3	2	1	1	2	3	4	5	6	7	8

PORCELAIN TYPE FINISH
HIGH GLAZE NORMAL MATT

OCCUSAL STAIN
HEAVY MEDIUM NONE

DETAILED INSTRUCTIONS